

PhoneGap

99 slides of NIWEA

Install PhoneGap

- <http://imgtfy.com/?q=install+phonegap>
- There are more important things to discuss

NIWEA

HTML, JavaScript and CSS

NIWEA

HTML, JavaScript and CSS

JavaScript

Double-click to edit

JavaScript

Double-click to edit

It's all about events ;)

JavaScript

ES3 and ES5

JavaScript is a programming language.

JavaScript is a **functional** programming language.

**JavaScript is a functional and object oriented
programing language.**

JavaScript is a functional and object oriented programing language based on **Self**.

**JavaScript is a functional and
object oriented programming
language based on Self and
Scheme.**

**JavaScript is a functional
and object oriented
programing language
based on Self and
Scheme that was written
in 10 days at Netscape.**

**JavaScript is a functional
and object oriented
programming language based
on Self and Scheme that
was written in 10 days at
Netscape and it's provably
the most innovative
language of the decade...**

So, how to learn it?

Not by doing!

Seriously...

YAHOO!

CROCKFORD ON JAVASCRIPT

DOUGLAS CROCKFORD, JAVASCRIPT ARCHITECT, YAHOO! INC.

- MONDAY JANUARY 25 HISTORY OF JAVASCRIPT
- FRIDAY FEBRUARY 5 SURVEY OF THE JAVASCRIPT LANGUAGE
- WEDNESDAY FEBRUARY 17 FUNCTIONS AND INHERITANCE IN JAVASCRIPT
- WEDNESDAY MARCH 3 JAVASCRIPT AND THE DOM
- WEDNESDAY MARCH 31 STYLE AND PERFORMANCE IN JAVASCRIPT

<http://yuiblog.com/crockford/>

What about PhoneGap?

Patience

JSLint

<http://jslint.com/>

- Global Variables
- Semicolon
- Scope
- Required Blocks
- Expression Statements
- ...

JSLint Stinks

<http://jslint.com/>

- Indenting
- i++
- for ... in
- ...

[http://lmgtfy.com/?q=jslint+<xsl:variable select="/user/editor" />](http://lmgtfy.com/?q=jslint+<xsl:variable select='/user/editor' />)

What about PhoneGap?

One more thing...

JSON

```
{  
  'user': {  
    "is_logged_in": "false",  
    "favorites": "12",  
  }  
}
```

```
{  
  'user': {  
    "is_logged_in": "false",  
    "favorites": "12",  
  }  
}
```

```
{  
  "user": {  
    "is_logged_in": "false",  
    "favorites": "12"  
  }  
}
```

```
{  
  "user": {  
    "is_logged_in": false,  
    "favorites": 12  
  }  
}
```

never ever ever never
ever never! really!
never ever string
concatenate json.
never. ok?

```
<?php
echo json_encode(
    array(
        'user' => array(
            'is_logged_in' => false,
            'favorite' => 12
        )
    )
);
```

What about PhoneGap?

JS Libraries?

XUI

A simple javascript framework for building mobile web applications.

XUI Stinks

A simple javascript framework for building mobile web applications.

jQuery

The Write Less, Do More, JavaScript Library

jQuery smells like roses.

The Write Less, Do More, JavaScript Library

jQuery.address()

Deep linking for the masses

jQote2

John Resig's awesome JavaScript Micro-Templating ported to jQuery

jQote2 [tʃə'kouteɪ]

John Resig's awesome JavaScript Micro-Templating ported to jQuery





jQote2 [tʃə'kouteɪ]

John Resig's awesome JavaScript Micro-Templating ported to jQuery

What about PhoneGap?

Image Loading

```
var logo = 'http://www.liip.ch/files/images/team/chregu.png';
$('#somewhere').append('<img/>')
  .children(':last')
  .attr('src', logo)
  .css('display', 'none')
  .after('')
  .load(
    function () {
      var img = $(this);
      img.next('img').remove();
      img.css('display', 'block');
    }
  );
});
```

Image Loading

```
var logo = 'http://www.liip.ch/files/images/team/chregu.png';
$('#somewhere').append('<img/>')
  .children(':last')
  .attr('src', logo)
  .css('display', 'none')
  .after('')
  .load(
    function () {
      var img = $(this);
      img.next('img').remove();
      img.css('display', 'block');
    }
  );
});
```

Image Loading

```
var logo = 'http://www.liip.ch/files/images/team/chregu.png';
$('#somewhere').append('<img/>')
  .children(':last')
  .attr('src', logo)
  .css('display', 'none')
  .after('')
  .load(
    function () {
      var img = $(this);
      img.next('img').remove();
      img.css('display', 'block');
    }
  );
});
```

Image Loading

```
var logo = 'http://www.liip.ch/files/images/team/chregu.png';
$('#somewhere').append('<img/>')
  .children(':last')
  .attr('src', logo)
  .css('display', 'none')
  .after('')
  .load(
    function () {
      var img = $(this);
      img.next('img').remove();
      img.css('display', 'block');
    }
  );
});
```

What about PhoneGap?

Dispatcher

```
$($function () {
    // [...] basic setup of the layout, toolbar, ect...
    $.address.value('index');
    $.address.init(
        function () {
            $.address.change(ksm.application.processURI);
        }
    );
});
```

```
$function () {
    // [...] basic setup of the layout, toolbar, ect...

    $.address.value('index'); // #index
    $.address.init(
        function () {
            $.address.change(ksm.application.processURI);
        }
    );
});
```

```
$(function () {
    // [...] basic setup of the layout, toolbar, ect...
    $.address.value(localStorage.getItem('currentPage') || 'index');
    $.address.init(
        function () {
            $.address.change(ksm.application.processURI);
        }
    );
});
```

```
$(function () {
    // [...] basic setup of the layout, toolbar, ect...
    $.address.value(localStorage.getItem('currentPage') || 'index');
    $.address.init(
        function () {
            $.address.change(ksm.application.processURI);
        }
    );
});
```

```
$(function () {
    // [...] basic setup of the layout, toolbar, ect...
    $.address.value(localStorage.getItem('currentPage') || 'index');
    $.address.init(
        function () {
            $.address.change(ksm.application.processURI);
        }
    );
});
```

```
$($function () {
    // [...] basic setup of the layout, toolbar, ect...
    $.address.value(localStorage.getItem('currentPage') || 'index');
    $.address.init(
        function () {
            $.address.change(ksm.application.processURI);
        }
    );
});
```

```
ksm.application = {  
    // [...]  
  
    processURI: function (address) {  
        var module, parameters;  
  
        // click, click, click  
        // module = 'search';  
        // parameters = {q: 'ice+cream'}  
  
        if ('string' === ksm[module].stub) {  
            $('#content').html($(ksm[module].stub));  
        }  
  
        if ('function' === typeof ksm[module].init) {  
            ksm[module].init(parameters);  
        }  
    }  
}
```

```
ksm.application = {  
    // [...]  
  
    processURI: function (address) {  
        var module, parameters;  
  
        // click, click, click  
        // module = 'search';  
        // parameters = {q: 'ice+cream'}  
  
        if ('string' === ksm[module].stub) {  
            $('#content').html($(ksm[module].stub));  
        }  
  
        if ('function' === typeof ksm[module].init) {  
            ksm[module].init(parameters);  
        }  
    }  
}
```

#search?q=ice+cream

```
ksm.application = {  
    // [...]  
  
    processURI: function (address) {  
        var module, parameters;  
  
        // click, click, click  
        // module = 'search';  
        // parameters = {q: 'ice+cream'}  
  
        if ('string' === ksm[module].stub) {  
            $('#content').html($(ksm[module].stub));  
        }  
  
        if ('function' === typeof ksm[module].init) {  
            ksm[module].init(parameters);  
        }  
    }  
}
```

```
ksm.application = {  
    // [...]  
  
    processURI: function (address) {  
        var module, parameters;  
  
        // click, click, click  
        // module = 'search';  
        // parameters = {q: 'ice+cream'}  
  
        if ('string' === ksm[module].stub) {  
            $('#content').html($(ksm[module].stub));  
        }  
  
        if ('function' === typeof ksm[module].init) {  
            ksm[module].init(parameters);  
        }  
    }  
}
```

```
ksm.application = {  
    // [...]  
  
    processURI: function (address) {  
        var module, parameters;  
  
        // click, click, click  
        // module = 'search';  
        // parameters = {q: 'ice+cream'}  
  
        if ('string' === ksm[module].stub) {  
            $('#content').html($(ksm[module].stub));  
        }  
  
        if ('function' === typeof ksm[module].init) {  
            ksm[module].init(parameters);  
        }  
    }  
}
```

```
$.address.value('#search?q=ice+cream');  
$.address.change(ksm.application.processURI);  
ksm.search.init({q: 'ice+cream'});
```

```
ksm.search = (function () {
  var that, callback;

  callback = return function (result) {
    // do your thing...
  };

  that = {
    init: function (parameters) {
      $.get(
        'http://api.com/search.json',
        parameters,
        callback
      );
    }
  };

  return that;
}());
```

```
ksm.search = (function () {
    var that, callback;

    callback = return function (result) {
        // do your thing...
    };

    that = {
        init: function (parameters) {
            $.get(
                'http://api.com/search.json',
                parameters,
                callback
            );
        }
    };

    return that;
}());
```

```
ksm.search = (function () {
    var that, callback;

    callback = return function (result) {
        // do your thing...
    };

    that = {
        init: function (parameters) {
            $.get(
                'http://api.com/search.json',
                parameters,
                callback
            );
        }
    };

    return that;
}());
```

```
ksm.search = (function () {
    var that, callback;

    callback = return function (result) {
        // do your thing...
    };

    that = {
        init: function (parameters) {
            $.get(
                'http://api.com/search.json',
                parameters,
                callback
            );
        };
    };

    return that;
}());
```

```
ksm.search = (function () {
  var that, callback;

  callback = return function (result) {
    // do your thing...
  };

  that = {
    init: function (parameters) {
      $.get(
        'http://api.com/search.json',
        parameters,
        callback
      );
    }
  };

  return that;
}());
```

```
ksm.search = (function () {
  var that, callback;

  callback = return function (result) {
    // do your thing...
  };

  that = {
    init: function (parameters) {
      $.get( // parameters = {q: 'ice+cream'}
        'http://api.com/search.json',
        parameters,
        callback
      );
    },
    return that;
  }());
})();
```

```
ksm.search = (function () {
  var that, callback;


  callback = return function (result) {
    // do your thing...
  };

  that = {
    init: function (parameters) {
      $.get(
        'http://api.com/search.json',
        parameters,
        callback
      );
    }
  };

  return that;
}());
```

```
ksm.application = {  
    // [...]  
  
    setAddress: function (uri) {  
        localStorage.setItem('currentPage', uri);  
        $.address.value(uri);  
    }  
};
```

SAM ROCKWELL
SAM ROCKWELL
SAM ROCKWELL



250,000 MILES FROM HOME,
THE HARDEST THING TO FACE...
IS YOURSELF.

MOON

A SONY PICTURES CLASSICS RELEASE • LIBERTY FILMS PRODUCTION IN ASSOCIATION WITH XINGO FILMS AND LIMELIGHT. SAM ROCKWELL "MOON" DOMINIQUE McELLIGOTT
KATA SCODLARO, BENEDICT WONG, MATT BERRY, MALCOLM STEWART. CASTING DIRECTOR JEREMY ZIMMERMANN AND MANUEL PURO. MAKE-UP AND HAIR DESIGN KAREN BRYAN, BRIAN DAWSON
COSTUME DESIGNER JANE PETRIE. CONCEPTUAL DESIGN GAVIN ROTHERY. PRODUCTION DESIGNER TONY NOBLE. IFF & CHARACTER ANIMATION BY CINESTE. DIRECTOR OF PHOTOGRAPHY GARY SHAW. MUSIC BY CLINT MANSELL
EDITORS NICOLAS GAISTER. LINE PRODUCER JULIA VALENTINE. EXECUTIVE PRODUCERS MICHAEL HENRY, BILL ZYSBLAT, TREVOR BEATTIE, BIL BUNGAJ. CO-PRODUCERS NICKY MOSS, ALEX FRANCIS
MARK FOUGNER. STEVE MILNE. STORY BY DUNCAN JONES. WRITTEN BY NATHAN PARKER. PRODUCED BY STUART FENEGAN. TRUDIE STYLER. DIRECTED BY DUNCAN JONES

R RESTRICTED • XINGO LIMELIGHT STAGE 6 SONY PICTURES CLASSICS

WWW.MOON-MOVIE.COM WWW.SONYCLASSICS.COM

```
// currentPage: #search?q=ice+cream

$(function () {
    $.address.value(localStorage.getItem('currentPage'));
    $.address.change(ksm.application.processURI);
});

ksm.search.init({q: 'ice+cream'});

ksm.application.setAddress = function (uri) {
    localStorage.setItem('currentPage', uri);
    $.address.value(uri);
}
```

Localization

Localization is
asynchronous

Localization is asynchronous

Module dependent.
We need it for Ajax Calls.



```
ksm.search = (function () {
  var that, callback;

  callback = return function (result) {};

  that = {
    init:
      function (parameters) {
        $.get(
          'http://api.ch/search.json',
          parameters,
          callback
        );
      }
  };

  return that;
}());
```

```
ksm.search = (function () {
  var that, callback;

  callback = return function (result) {};

  that = {
    init: function (parameters) {
      ksm.location.localizeCall(
        function (parameters) {
          $.get(
            'http://api.ch/search.json',
            parameters,
            callback
          );
        },
        parameters
      );
    }
  };

  return that;
}());
```

```
ksm.location = {
    localizeCall: function (callback, parameters) {
        navigator.geolocation.getCurrentPosition(
            function (position) {
                parameters.latitude = position.coords.latitude;
                parameters.longitude = position.coords.longitude;
                callback(parameters);
            },
            function (error) {
                // error.code === 1 => denied
                that.localizeCall(callback, parameters);
            }
        );
    }
}
```

```
ksm.location = {
    localizeCall: function (callback, parameters) {
        navigator.geolocation.getCurrentPosition(
            function (position) {
                parameters.latitude = position.coords.latitude;
                parameters.longitude = position.coords.longitude;
                callback(parameters);
            },
            function (error) {
                // error.code === 1 => denied
                that.localizeCall(callback, parameters);
            }
        );
    }
}
```

```
ksm.location = {
    localizeCall: function (callback, parameters) {
        navigator.geolocation.getCurrentPosition(
            function (position) {
                parameters.latitude = position.coords.latitude;
                parameters.longitude = position.coords.longitude;
                callback(parameters);
            },
            function (error) {
                // error.code === 1 => denied
                that.localizeCall(callback, parameters);
            }
        );
    }
}
```

```
ksm.location = {
    localizeCall: function (callback, parameters) {
        navigator.geolocation.getCurrentPosition(
            function (position) {
                parameters.latitude = position.coords.latitude;
                parameters.longitude = position.coords.longitude;
                callback(parameters);
            },
            function (error) {
                // error.code === 1 => denied
                that.localizeCall(callback, parameters);
            }
        );
    }
}
```

```
ksm.location = {
    localizeCall: function (callback, parameters) {
        navigator.geolocation.getCurrentPosition(
            function (position) {
                parameters.latitude = position.coords.latitude;
                parameters.longitude = position.coords.longitude;
                callback(parameters);
            },
            function (error) {
                // error.code === 1 => denied
                that.localizeCall(callback, parameters);
            }
        );
    }
}
```

Are you still with me?

**Pass the parameters to
the callback function...**

```
ksm.search = (function () {
  var that, getCallback;

  callback = function (result) {
    // do your thing...
  };

  that = {
    init: function (parameters) {
      ksm.location.localizeCall(
        function (parameters) {
          $.get(
            'http://api.ch/search.json',
            parameters,
            callback
          );
        },
        parameters
      );
    },
    return that;
}());
```

```
ksm.search = (function () {
  var that, getCallback;

  getCallback = function (parameters) {
    return function (result) {
      // do your thing...
    };
};

that = {
  init: function (parameters) {
    ksm.location.localizeCall(
      function (parameters) {
        $.get(
          'http://api.ch/search.json',
          parameters,
          getCallback(parameters)
        );
      },
      parameters
    );
  },
};

return that;
}());
```

```
ksm.search = (function () {
  var that, getCallback;

  getCallback = function (parameters) {
    return function (result) {
      // do your thing...
    };
};

that = {
  init: function (parameters) {
    ksm.location.localizeCall(
      function (parameters) {
        $.get(
          'http://api.ch/search.json',
          parameters,
          getCallback(parameters)
        );
      },
      parameters
    );
  },
};

return that;
}());
```

There's more...

- Login
- Back button
- Actions

There's more...

- Login
- Back button
- Actions

Getting round the stateless nature of HTTP

cookie

Getting round the stateless nature of HTTP

cookie

Getting round the stateless nature of HTTP

```
ksm.search = (function () {
  var that, getCallback;

  getCallback = function (parameters) {
    return function (result) {
      // do your thing...
    };
};

that = {
  init: function (parameters) {
    ksm.location.localizeCall(
      function (parameters) {
        $.get(
          'http://api.ch/search.json',
          parameters,
          getCallback(parameters),
          'json'
        );
      },
      parameters
    );
  },
  parameters
};

return that;
}());
```

```
ksm.search = (function () {
  var that, getCallback;

  getCallback = function (parameters) {
    return function (result) {
      // do your thing...
    };
};

that = {
  init: function (parameters) {
    ksm.location.localizeCall(
      function (parameters) {
        ksm.application.post(
          'search.json',
          parameters,
          getCallback(parameters)
        );
      },
      parameters
    );
  },
};

return that;
}());
```

```
ksm.application.post = function (url, parameters, callback) {
    var token, apiPath;

    apiPath = 'http://api.ch/';

    token = localStorage.getItem("token");

    if (token) {
        // inject the token
        parameters.token = token;
    }

    $.post(
        apiPath + url,
        parameters,
        callback,
        'json'
    );
}
```

```
ksm.application.post = function (url, parameters, callback) {  
    var token, apiPath;  
  
    apiPath = 'http://api.ch/';  
  
    token = localStorage.getItem("token");  
  
    if (token) {  
        // inject the token  
        parameters.token = token;  
    }  
  
    $.post(  
        apiPath + url,  
        parameters,  
        callback,  
        'json'  
    );  
}
```

```
ksm.application.post = function (url, parameters, callback) {
  var token, apiPath;

  apiPath = 'http://api.ch/';

  token = localStorage.getItem("token");

  if (token) {
    // inject the token
    parameters.token = token;
  }

  $.post(
    apiPath + url,
    parameters,
    callback,
    'json'
  );
}
```

This is the slide #99